



WWW.CAROLINA-SPAS.COM

Table of Contents

About Us I

Model Selections

Winston 2

Caswell 3

Holden 4

Savannah 5

Asheville 6

Charleston 7

Southport 8

Features & Options 9

About Us

Hudson Pool Distributors is family-owned and operated since 1973. The business was founded by Roger Hudson and is based in **New London, North Carolina**. He began building pools in **Charlotte, North Carolina** until the early 1980's when he decided to make the move to the wholesale side of the business. Roger has since retired and the business is now run by his son Matthew Hudson. Matthew is working hard to continue the legacy started by his father. **Hudson Pool Distributors Inc.** is the largest single warehouse distributor of pools and spas in the Southeast. Serving our customers with the best possible selection of merchandise and providing outstanding customer service is our #1 goal!

WINSTON

Therapy System

Total Jets	13
(1) Two-Speed Jet Pump.....	140 GPM

Dimensions

Domestic

Width	59"
Length	82"
Height	29"
Average Fill	150 GL
Dry Weight.....	300 LB
Average Full Weight	1500 LB
Seating Capacity.....	1-2
Power Pack.....	220V/60A
	110V/20A
Total Pumps.....	1

*Standard build is 220V/60A

FEATURES & OPTIONS

Thermal Bond™ Insulation System

- Sealed Base
- Thermal Bond™ Wrap Insulation
- Deluxe Spa Cover

DuoClean™ System

- Duo Circulation™ Cycles
- Antimicrobial Filtration
- DuoZone™ Ozone

Standard System

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Carolina Spas LED Lighting
- TriLayer™ Acrylic Spa Shell
- MultiWeather™ Exterior
- DuoTone™ Jet Accents

* LE Package - Not Available



CASWELL

Therapy System

Total Jets..... 20
(1) Two-Speed Jet Pump..... 140 GPM

Dimensions

Domestic

Width 57"
Length 80"
Height 29"
Average Fill 150 GL
Dry Weight..... 385 LB
Average Full Weight 1638 LB
Seating Capacity..... 4
Power Pack..... 220V/60A
110V/20A
Total Pumps 1

*Standard build is 220V/60A



**Shown in Smoky Mountain*

FEATURES & OPTIONS

Thermal Bond™ Insulation System

- Sealed Base
- Thermal Bond™ Wrap Insulation
- Deluxe Spa Cover

DuoClean™ System

- Duo Circulation™ Cycles
- Antimicrobial Filtration
- DuoZone™ Ozone

Standard System

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Carolina Spas LED Lighting
- TriLayer™ Acrylic Spa Shell
- MultiWeather™ Exterior
- DuoTone™ Jet Accents

Optional Packages Available

- Thermal Bond™ Full Foam Insulation

LE Package* - adds the following

- Thermal Bond™ Full Foam Insulation
- Continuous Circulation Pump
- Pack Upgrade
- LE Available On 220V Version Only

HOLDEN

Therapy System

Total Jets	25
(1) Two-Speed Jet Pump.....	195 GPM

Dimensions

Domestic

Width	67"
Length	80"
Height	34"
Average Fill	240 GL
Dry Weight.....	500 LB
Average Full Weight	2504 LB
Seating Capacity.....	3-4
Power Pack.....	220V/60A
Total Pumps.....	1

FEATURES & OPTIONS

Thermal Bond™ Insulation System

- Sealed Base
- Thermal Bond™ Wrap Insulation
- Deluxe Spa Cover

DuoClean™ System

- Duo Circulation™ Cycles
- Antimicrobial Filtration
- DuoZone™ Ozone

Standard System

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Carolina Spas LED Lighting
- TriLayer™ Acrylic Spa Shell
- MultiWeather™ Exterior
- DuoTone™ Jet Accents

Optional Packages Available

- Thermal Bond™ Full Foam Insulation

LE Package* - adds the following

- Thermal Bond™ Full Foam Insulation
- Continuous Circulation Pump
- Pack Upgrade



SAVANNAH

Therapy System

Total Jets	37
(1) Two-Speed Jet Pump	195 GPM
(1) Turbo Boost	Standard

Dimensions

Domestic

Width	80"
Length	84"
Height	36"
Average Fill	350 GL
Dry Weight	700 LB
Average Full Weight	3622 LB
Seating Capacity	4-5
Power Pack	220V/60A
Total Pumps	2

FEATURES & OPTIONS

Thermal Bond™ Insulation System

- Sealed Base
- Thermal Bond™ Wrap Insulation
- Deluxe Spa Cover

DuoClean™ System

- Duo Circulation™ Cycles
- Antimicrobial Filtration
- DuoZone™ Ozone

Standard System

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Carolina Spas LED Lighting
- TriLayer™ Acrylic Spa Shell
- MultiWeather™ Exterior
- DuoTone™ Jet Accents

Available Options*

- Thermal Bond™ Full Foam Insulation

Sound Choices

- Bluetooth Audio System
- Subwoofer (Requires Bluetooth Audio System)

* LE Package - Not Available



*Additional Costs

See Carolina Dealer for Pricing

ASHEVILLE

Therapy System

Total Jets.....	38
(1) Two-Speed Jet Pump.....	195 GPM
(1) Turbo Boost.....	Standard

Dimensions

	Domestic
Width.....	80"
Length.....	84"
Height.....	36"
Average Fill.....	350 GL
Dry Weight.....	700 LB
Average Full Weight.....	3622 LB
Seating Capacity.....	4-5
Power Pack.....	220V/60A
Total Pumps.....	2

FEATURES & OPTIONS

Thermal Bond™ Insulation System

- Sealed Base
- Thermal Bond™ Wrap Insulation
- Deluxe Spa Cover

DuoClean™ System

- Duo Circulation™ Cycles
- Antimicrobial Filtration
- DuoZone™ Ozone

Standard System

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Carolina Spas LED Lighting
- TriLayer™ Acrylic Spa Shell
- MultiWeather™ Exterior
- DuoTone™ Jet Accents

Available Options*

- Thermal Bond™ Full Foam Insulation

Sound Choices

- Bluetooth Audio System
- Subwoofer (Requires Bluetooth Audio System)

* LE Package - Not Available



CHARLESTON

Therapy System

Total Jets	43
(1) Two-Speed Jet Pump	195 GPM
(1) Single-Speed Pump	195 GPM

Dimensions

	Domestic
Width	84"
Length	84"
Height	38"
Average Fill	375 GL
Dry Weight	780 LB
Average Full Weight	3911 LB
Seating Capacity	5-6
Power Pack	220V/60A
Total Pumps	2

FEATURES & OPTIONS

Thermal Bond™ Insulation System

- Sealed Base
- Thermal Bond™ Wrap Insulation
- Deluxe Spa Cover

DuoClean™ System

- Duo Circulation™ Cycles
- Antimicrobial Filtration
- DuoZone™ Ozone

Standard System

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Carolina Spas LED Lighting
- TriLayer™ Acrylic Spa Shell
- MultiWeather™ Exterior
- DuoTone™ Jet Accents

Available Options*

- Thermal Bond™ Full Foam Insulation

Sound Choices

- Bluetooth Audio System
- Subwoofer (Requires Bluetooth Audio System)

LE Package - adds the following

- Thermal Bond™ Full Foam Insulation
- Continuous Circulation Pump
- Pack Upgrade



**Shown as LE Version*

SOUTHPORT

Therapy System

Total Jets	56
(1) Two-Speed Jet Pump	240 GPM
(1) Single-Speed Pump	240 GPM

Dimensions

Domestic

Width	89"
Length	93"
Height	40"
Average Fill	525 GL
Dry Weight	920 LB
Average Full Weight	5302 LB
Seating Capacity	6
Power Pack	220V/60A
Total Pumps	2

FEATURES & OPTIONS

Thermal Bond™ Insulation System

- Sealed Base
- Thermal Bond™ Wrap Insulation
- Deluxe Spa Cover

DuoClean™ System

- Duo Circulation™ Cycles
- Antimicrobial Filtration
- DuoZone™ Ozone

Standard System

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Carolina Spas LED Lighting
- TriLayer™ Acrylic Spa Shell
- MultiWeather™ Exterior
- DuoTone™ Jet Accents

Available Options*

- Thermal Bond™ Full Foam Insulation

Sound Choices

- Bluetooth Audio System
- Subwoofer (Requires Bluetooth Audio System)

LE Package - adds the following

- Thermal Bond™ Full Foam Insulation
- Continuous Circulation Pump
- Pack Upgrade





FEATURES & OPTIONS



DUO CLEAN™ SYSTEM

Always clean, always warm, always inviting. The DuoClean™ System is customizable allowing proper circulation in combination with cleansing Antimicrobial Filtration, providing spa water that is maintained efficiently and effectively.



Antimicrobial Filtration

The Antimicrobial Filtration is designed to inhibit odor, mold and mildew on the surface of the filter cartridge. The Duo Clean™ system is designed to circulate water through these Antimicrobial cartridges. This will ensure your spa water has been properly filtered.



DuoZone™ Ozone

Ozone, a natural sanitizer, will help in providing a better soaking atmosphere in your spa water. The DuoZone™ ozone generator is standard on your Carolina Spa™.



Custom Circulation System


Carolina Spa™ models have Customizable Circulation Cycles designed for your lifestyle. This system can circulate and filter thousands of gallons of water using up to four different circulation cycles.



Carolina Spa™ Operations Center

The Operations Center contains all the programmable spa functions, while the Horizontal Mount Heater thermostatically controls the warming of the spa in the most efficient way possible.

THE THERMAL BOND™ INSULATION SYSTEM



The Thermal Bond™ Wrap Insulation System is standard on all Carolina Spas™ models and utilizes three key components in providing efficient heat retention and lower operating costs. First and foremost is the spa cover that seals in the heat from the top. Secondly we use the Thermal Bond™ Wrap Insulation to retain warm air that is created inside the spa cabinet. Thirdly, the sealed base helps keep warm air in and cold air out of the bottom of the spa cabinet. These three components allow you to be soaking in a spa that is designed to be ready when you are.

Thermal Bond™ Full Foam*



Thermal Bond™ Full Foam is designed as an optional upgrade insulation. This system provides a higher level of heat retention inside the spa cabinet. Ask your Dealer about model availability.

Multi Weather™ Exterior



The Multi Weather™ exterior is designed as a low maintenance and durable product. It is designed for easy care while continuing to look great for years to come.

*Standard on LE Models

CAROLINA ADVANTAGES



The Manufacturer of *Carolina Spas*® has over 35 years of industry experience in designing their Hydrotherapy Systems. So if relaxation is your destination, look no further than our uniquely engineered arrangement of jetting power and plumbing concepts.



1. Versa-Flo™ Air & Micro Valves
2. Carolina Operations Center
3. Carolina LED Lighting
4. Antimicrobial Filtration
5. Contoured Grabrail
6. Adjustable Jetting
7. Treaded Footwell
8. Foot Dome Therapy
9. Footwell Drain
10. Duo Tone™ Jet Accents*
11. TriLayer™ Shell with ProTegrity™
12. LED Water Feature

* Standard on SE Models Only.
Photo shown as Southport SE.

Carolina Operations Center •

The Operations Center contains Lifestyle Programming spa functions to fit all user preferences and schedules. The Horizontal Mount Heater thermostatically keeps the spa always ready to use in the most efficient way possible.



Carolina LED Lighting •

Our Carolina Spa™ LED Lighting system is a standard feature on the Carolina Spa™ Line. This LED System uses key locations throughout the spa, offering an array of bright digital colors and sequences to increase your spa use enjoyment.



Bluetooth Audio System •

Enjoy music in the comfort of your spa with Cottage's optional Bluetooth Streaming and Dual Speaker Systems. Ask your dealer about model availability.



Duo Tone™ Jet Accents •

Duo Tone™ Jet accents are standard features on the Carolina Spa™. They provide a modern look highlighting the spa's appearance.



LED Water Feature •

Our Carolina Spa™ LED Water Feature is a standard feature on most of the Carolina Spa™ Line. This system uses streams of cascading water to enhance the spas atmosphere and increase your spa use enjoyment.



Thermal Bond™ Full Foam* •

Thermal Bond™ Full Foam is designed as an optional upgrade insulation. This system provides a higher level of heat retention inside the spa cabinet. Ask your Dealer about model availability.



* Standard on LE Models Only.



www.carolina-spas.com

CAROLINA SPAS AVAILABLE AT:

All sizes are approximate. Saratoga Spa and Bath® Co., Inc reserves the right to make changes in product characteristics, standard equipment supplied or available at any time without notice. Not all features are available on all models. International 60 Hz models may vary in specifications and features. Models with international specifications are only available through international distributors. All spas must be wired in compliance with owners manual. Power Massage® is a patented feature of Saratoga Spa and Bath® Co., Inc (4953240) (5086595) (5752300) (6351856) (6185757) (6182303) (D431303) (5067228) (5010699) (CFE#4860392) (6182303) Entertainment systems and other optional features are not offered with the UL® listing or standard warranty and are not available on all models. See your Saratoga Spa® dealer for details.

Warning: The consumer product safety commission has stated that water temperature in a spa or hot tub should not exceed 104° F. Immersion in water in excess of 104° could be hazardous to your health. Children, aged persons, persons having medical problems and pregnant women should consult their physicians before using a spa or hot tub. Spas or hot tubs should not be used by persons under the influence of alcohol or by persons taking medications that cause drowsiness.

All spas must be wired in compliance with Carolina owners manual.

Carolina Spas are a product of
Saratoga Spa® Company
33 Wade Road, Latham, NY 12110
Telephone 518-786-1111

