



# PRODUCT GUIDE



[WWW.CAROLINA-SPAS.COM](http://WWW.CAROLINA-SPAS.COM)



# 2022 Specifications WINSTON

## HYDROTHERAPY

<b>Passive Impact™ Therapy System</b>	
Power Massage®.....	0
<b>TOTAL JETS</b>	<b>0</b>

<b>Direct Impact™ Therapy System</b>	
Versa-Flo™ Jets.....	13
<b>TOTAL JETS</b>	<b>13</b>

<b>Valve Systems</b>	
<b>TOTAL VALVES</b> .....	<b>0</b>

Dimensions	Domestic	Int'l
Width	59"	1.49 m
Length	82"	2.08 m
Height	29"	0.73 m
Average Fill	150 GL	567 L
Dry Weight	300 LB	136 kg
Average Full Weight	1500 LB	680 kg
Seating Capacity	1-2	1-2

## System Control Center

Power Pak	220V/60A 110V/20A	230V/16A
Heater	1kw or 4kw	3kw
Digital Controls	Standard	Standard
Carolina Spas LED Lighting	Standard	Standard
(1) 2 Speed Pump	140 GPM	530 LPM

## Standard SE System

### Equipment

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Sealed Base
- Carolina LED Lighting
- Slide Valves
- 7/3/2 Warranty
- DuoZone™ Ozone

### Features

- Duo Circulation™
- TriLayer™ Spa Shell
- Antimicrobial Filtration
- MultiWeather™ Cabinet
- Deluxe Spa Cover
- Thermal Bond™ Wrap
- DuoTone™ Jet Accents

**Optional Packages - Not Available**

**LE Package - Not Available**

## Thermal Bond™ Insulation System

- Sealed Base
- Thermal Bond™ Wrap
- Deluxe Spa Cover

## Duo Clean™ System

- Duo Circulation™
- Antimicrobial Filtration
- Duo Zone™ Ozone





# 2022 Specifications CASWELL

## HYDROTHERAPY

Passive Impact™ Therapy System  
Power Massage®..... 1

**Direct Impact™ Therapy System**  
Versa-Flo™ Jets..... 19  

---

TOTAL JETS 20

### Valve Systems

Versa-Flo™ Air Control ..... 1  
Versa-Flo™ Valve..... 1  

---

TOTAL VALVES 2

### Standard SE System

#### Equipment

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Built-in Headrests
- Sealed Base
- Carolina LED Lighting
- Slide Valves
- 7/3/2 Warranty
- DuoZone™ Ozone

#### Features

- Duo Circulation™
- TriLayer™ Spa Shell
- Antimicrobial Filtration
- MultiWeather™ Cabinet
- Deluxe Spa Cover
- Thermal Bond™ Wrap
- DuoTone™ Jet Accents

### Thermal Bond™ Insulation System

- Sealed Base
- Thermal Bond™ Wrap
- Deluxe Spa Cover

### Duo Clean™ System

- Duo Circulation™
- Antimicrobial Filtration
- Duo Zone™ Ozone

### Dimensions

Width  
Length  
Height  
Average Fill  
Dry Weight  
Average Full Weight  
Seating Capacity

### Domestic

57"  
80"  
29"  
150 GL  
385 LB  
1638 LB  
2

### Int'l

1.45 m  
2.03 m  
0.74 m  
568 L  
175 kg  
743 kg  
2

### System Control Center

Power Pak	110V/20A <sub>(SE ONLY)</sub> 220V/60A	230V/16A
Heater	1kw or 4kw	3kw
Antimicrobial Filtration	Standard	Standard
Carolina Spas LED Lighting	Standard	Standard
(1) 2 Speed Pump	140 GPM	530 LPM

### Optional Packages Available\*

- Thermal Bond™ Full Foam Insulation

### LE Package\* - adds the following:

- Thermal Bond™ Full Foam Insulation
- Continuous Circulation Pump
- Upgraded Pack

\* Additional costs, see Carolina Dealer Price Sheet



*\*Shown in Smoky Mountain*





# 2022 Specifications HOLDEN

## HYDROTHERAPY

Passive Impact™ Therapy System  
Power Massage®..... 1

**Direct Impact™ Therapy System**  
Versa-Flo™ Jets..... 24  

---

TOTAL JETS 25

### Valve Systems

Versa-Flo™ Air Control ..... 1  
Versa-Flo™ Valve ..... 1  
Laminar Valve..... 1  

---

TOTAL VALVES 3

### Standard SE System

Equipment	Features
• Top Loading Skimmer	• Duo Circulation™
• Treaded Footwell	• LED Water Feature
• Footwell Spa Drain	• TriLayer™ Spa Shell
• Built-in Headrests	• Antimicrobial Filtration
• Sealed Base	• MultiWeather™ Cabinet
• Carolina LED Lighting	• Deluxe Spa Cover
• Slide Valves	• Thermal Bond™ Wrap
• 7/3/2 Warranty	• DuoTone™ Jet Accents
• DuoZone™ Ozone	

### Thermal Bond™ Insulation System

Sealed Base  
Thermal Bond™ Wrap  
Deluxe Spa Cover

### Duo Clean™ System

Duo Circulation™  
Antimicrobial Filtration  
Duo Zone™ Ozone

Dimensions	Domestic	Int'l
Width	67"	1.70 m
Length	80"	2.03 m
Height	34"	0.86 m
Average Fill	240 GL	909 L
Dry Weight	500 LB	227 kg
Average Full Weight	2504 LB	1136 kg
Seating Capacity	3-4	3-4

### System Control Center

Power Pak	220V/60A	230V/16A
Heater	4kw	3kw
Antimicrobial Filtration	Standard	Standard
Carolina Spas LED Lighting	Standard	Standard
(1) 2 Speed Pump	195 GPM	737 LPM

### Optional Packages Available\*

- Thermal Bond™ Full Foam Insulation

<p><b>LE Package* - adds the following:</b></p> <ul style="list-style-type: none"> <li>• Thermal Bond™ Full Foam Insulation</li> <li>• Continuous Circulation Pump</li> <li>• Upgraded Pack</li> </ul>
--

\* Additional costs, see Carolina Dealer Price Sheet





# 2022 Specifications SAVANNAH

## HYDROTHERAPY

### Passive Impact™ Therapy System

Power Massage® .....	1
<b>TOTAL JETS</b>	<b>1</b>

### Direct Impact™ Therapy System

Versa-Flo™ Jets.....	36
<b>TOTAL JETS</b>	<b>37</b>

### Valve Systems

Versa-Flo™ Air Control .....	1
Versa-Flo™ Valve .....	1
Laminar Valve.....	1
<b>TOTAL VALVES</b>	<b>3</b>

Dimensions	Domestic	Int'l
Width	80"	2.03 m
Length	84"	2.13 m
Height	36"	0.91 m
Average Fill	350 GL	1325 L
Dry Weight	700 LB	317 kg
Average Full Weight	3622 LB	1643 kg
Seating Capacity	4-5	4-5

### System Control Center

Power Pak	220V/60A	230V/16A
Heater	4kw	3kw
Antimicrobial Filtration	Standard	Standard
Carolina Spas LED Lighting	Standard	Standard
(1) 2 Speed Pump	195 GPM	737 LPM
(1) Turbo Boost Pump	Standard	Standard

### Standard SE System

#### Equipment

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Built-in Headrests
- Sealed Base
- Carolina LED Lighting
- Slide Valves
- 7/3/2 Warranty
- DuoZone™ Ozone

#### Features

- Duo Circulation™
- LED Water Feature
- TriLayer™ Spa Shell
- Antimicrobial Filtration
- MultiWeather™ Cabinet
- Deluxe Spa Cover
- Thermal Bond™ Wrap
- DuoTone™ Jet Accents

### Optional Packages Available\*

- Bluetooth Audio System
- Thermal Bond™ Full Foam Insulation

LE Package - Not Available

### Thermal Bond™ Insulation System

- Sealed Base
- Thermal Bond™ Wrap
- Deluxe Spa Cover

### Duo Clean™ System

- Duo Circulation™
- Antimicrobial Filtration
- Duo Zone™ Ozone

\* Additional costs, see Carolina Dealer Price Sheet







# 2022 Specifications ASHEVILLE

## HYDROTHERAPY

<b>Passive Impact™ Therapy System</b>	
Power Massage® .....	1
<b>TOTAL JETS</b>	<b>1</b>

<b>Direct Impact™ Therapy System</b>	
Versa-Flo™ Jets.....	37
<b>TOTAL JETS</b>	<b>38</b>

### Valve Systems

Versa-Flo™ Air Control .....	1
Versa-Flo™ Valve .....	1
Laminar Valve.....	1
<b>TOTAL VALVES</b>	<b>3</b>

### Standard SE System

#### Equipment

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Built-in Headrests
- Sealed Base
- Carolina LED Lighting
- Slide Valves
- 7/3/2 Warranty
- DuoZone™ Ozone

#### Features

- Duo Circulation™
- LED Water Feature
- TriLayer™ Spa Shell
- Antimicrobial Filtration
- MultiWeather™ Cabinet
- Deluxe Spa Cover
- Thermal Bond™ Wrap
- DuoTone™ Jet Accents

### Thermal Bond™ Insulation System

- Sealed Base
- Thermal Bond™ Wrap
- Deluxe Spa Cover

### Duo Clean™ System

- Duo Circulation™
- Antimicrobial Filtration
- Duo Zone™ Ozone

Dimensions	Domestic	Int'l
Width	80"	2.03 m
Length	84"	2.13 m
Height	36"	0.91 m
Average Fill	350 GL	1325 L
Dry Weight	700 LB	317 kg
Average Full Weight	3622 LB	1643 kg
Seating Capacity	4-5	4-5

### System Control Center

Power Pak	220V/60A	230V/16A
Heater	4kw	3kw
Antimicrobial Filtration	Standard	Standard
Carolina Spas LED Lighting	Standard	Standard
(1) 2 Speed Pump	195 GPM	737 LPM
(1) Turbo Boost Pump	Standard	Standard

### Optional Packages Available\*

- Bluetooth Audio System
- Thermal Bond™ Full Foam Insulation

**LE Package - Not Available**

\* Additional costs, see Carolina Dealer Price Sheet





# 2022 Specifications CHARLESTON

## HYDROTHERAPY

Passive Impact™ Therapy System  
Power Massage®..... 1

**Direct Impact™ Therapy System**  
Versa-Flo™ Jets..... 42  
TOTAL JETS 43

### Valve Systems

Versa-Flo™ Air Control ..... 2  
Versa-Flo™ Valve..... 1  
Laminar Valve..... 1  
TOTAL VALVES 4

### Standard SE System

Equipment	Features
• Top Loading Skimmer	• Duo Circulation™
• Treaded Footwell	• LED Water Feature
• Footwell Spa Drain	• TriLayer™ Spa Shell
• Built-in Headrests	• Antimicrobial Filtration
• Sealed Base	• MultiWeather™ Cabinet
• Carolina LED Lighting	• Deluxe Spa Cover
• Slide Valves	• Thermal Bond™ Wrap
• 7/3/2 Warranty	• DuoTone™ Jet Accents
• DuoZone™ Ozone	

### Thermal Bond™ Insulation System

Sealed Base  
Thermal Bond™ Wrap  
Deluxe Spa Cover

### Duo Clean™ System

Duo Circulation™  
Antimicrobial Filtration  
Duo Zone™ Ozone

Dimensions	Domestic	Int'l
Width	84"	2.13 m
Length	84"	2.13 m
Height	38"	0.97 m
Average Fill	375 GL	1420 L
Dry Weight	750 LB	340 kg
Average Full Weight	3880 LB	1760 kg
Seating Capacity	5-6	5-6

### System Control Center

Power Pak	220V/60A	230V/16A
Heater	4kw	3kw
Antimicrobial Filtration	Standard	Standard
Carolina Spas LED Lighting	Standard	Standard
(1) 1 Speed Pump	195 GPM	737 LPM
(1) 2 Speed Pump	195 GPM	737 LPM

### Optional Packages Available\*

- Bluetooth Audio System
- Thermal Bond™ Full Foam Insulation

<p><b>LE Package* - adds the following:</b></p> <ul style="list-style-type: none"> <li>• Thermal Bond™ Full Foam Insulation</li> <li>• Continuous Circulation Pump</li> <li>• Upgraded Pack</li> </ul>
--

\* Additional costs, see Carolina Dealer Price Sheet



*\*Shown as LE Version*





# 2022 Specifications SOUTHPORT

## HYDROTHERAPY

Passive Impact™ Therapy System  
Power Massage® ..... 1

**Direct Impact™ Therapy System**  
Versa-Flo™ Jets..... 55  
TOTAL JETS ..... 56

### Valve Systems

Versa-Flo™ Air Control..... 2  
Versa-Flo™ Valves ..... 1  
Laminar Valve..... 1  
TOTAL VALVES ..... 4

### Standard SE System

#### Equipment

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Built-in Headrests
- Sealed Base
- Carolina LED Lighting
- Slide Valves
- 7/3/2 Warranty
- DuoZone™ Ozone

#### Features

- Duo Circulation™
- LED Water Feature
- TriLayer™ Spa Shell
- Antimicrobial Filtration
- MultiWeather™ Cabinet
- Deluxe Spa Cover
- Thermal Bond™ Wrap
- DuoTone™ Jet Accents

### Thermal Bond™ Insulation System

- Sealed Base
- Thermal Bond™ Wrap
- Deluxe Spa Cover

### Duo Clean™ System

- Duo Circulation™
- Antimicrobial Filtration
- Duo Zone™ Ozone

### Dimensions

	Domestic	Int'l
Width	89"	2.26 m
Length	93"	2.36 m
Height	40"	1.02 m
Average Fill	525 GL	1988 L
Dry Weight	920 LB	417 kg
Average Full Weight	5302 LB	2405 kg
Seating Capacity	6	6

### System Control Center

Power Pak	220V/60A	230V/16A
Heater	4kw	3kw
Antimicrobial Filtration	Standard	Standard
Carolina Spas LED Lighting	Standard	Standard
(1) 1 Speed Pump	240 GPM	907 LPM
(1) 2 Speed Pump	240 GPM	907 LPM

### Optional Packages Available\*

- Bluetooth Audio System
- Thermal Bond™ Full Foam Insulation

### LE Package\* - adds the following:

- Thermal Bond™ Full Foam Insulation
- Continuous Circulation Pump
- Upgraded Pack

\* Additional costs, see Carolina Dealer Price Sheet





# CAROLINA SPAS OPTIONS

## **“Thermal Bond™ Full Foam Insulation”**

- *Standard on all LE Models*
  - *Available option at additional cost on SE Models except Winston*
  - *The SE comes standard with Thermal Bond™ Wrap System*
  - *The Winston limited to partial foam and Thermal Wrap System at no additional charge*
    - *Factory installed item, see price sheet for details*
- 

## **“Carolina LED Lighting”**

- *Standard Feature on most Models*
  - *LED Skimmer Box, LED Waterline Facets, LED Lit Footwell Jet and LED Water Feature*
    - *LED Water Feature not available on Winston*
  - *LED Lit Footwell Jet not available on Winston, Savannah & Asheville*
    - *Factory Installed Item*
- 

## **“Bluetooth Audio System”**

- *Available option at an additional cost. Available on Charleston, Savannah, Asheville & Southport*
  - *Bluetooth Streaming with Dual Flat Speakers with Subwoofer System*
  - *Factory installed item, see price sheet for details*











All sizes are approximate. Saratoga Spa and Bath® Co., Inc reserves the right to make changes in product characteristics, standard equipment supplied or available at any time without notice. Not all features are available on all models. International 60 Hz models may vary in specifications and features. Models with international specifications are only available through international distributors. All spas must be wired in compliance with owners manual. Power Massage® is a patented feature of Saratoga Spa and Bath® Co., Inc (4953240) (5086595) (5752300) (6351856) (6185757) (6182303) (D431303) (5067228) (5010699) (CFE#4860392) (6182303) Entertainment systems and other optional features are not offered with the UL® listing or standard warranty and are not available on all models. See your Saratoga Spa® dealer for details.

Warning: The consumer product safety commission has stated that water temperature in a spa or hot tub should not exceed 104° F. Immersion in water in excess of 104° could be hazardous to your health. Children, aged persons, persons having medical problems and pregnant women should consult their physicians before using a spa or hot tub. Spas or hot tubs should not be used by persons under the influence of alcohol or by persons taking medications that cause drowsiness.

All spas must be wired in compliance with Carolina owners manual.

Carolina Spas are a product of  
Saratoga Spa® Company  
33 Wade Road, Latham, NY 12110  
Telephone 518-786-1111

